



MULTISPIRAL HYDRAULIC HOSE – DIN EN 856 R13  
TUBO R13 – DIN EN856 – MULTISPIRALI

**HHR13**

Part Number Codice	hose ID		Inside Ø [mm]	Braid Ø [mm]	Outside Ø [mm]	Working Pressure		Test Pressure Bar	Burst Pressure Bar	Bend Radius mm	Weight kg/m
	[in]	[mm]				Bar	Psi				
HHR131201T	3/4"	19,0	19,5	28,6	32,3	350	5075	700	1400	240	1,57
HHR131601T	1"	25,4	26,0	35,5	38,7	350	5075	700	1400	300	1,92
HHR132001T	1.1/4"	31,8	32,5	46,8	49,8	350	5075	700	1400	420	3,60
HHR132401T	1.1/2"	38,1	38,5	54,3	57,3	350	5075	700	1400	500	4,80
HHR133201T	2"	50,8	51,2	68,1	71,1	350	5075	700	1400	630	6,60

**Tube:** Synthetic rubber, resistant against hydraulic fluids

**Reinforcement:** Four spiral layers DN19. DN25 and six spiral layers DN32. DN51 of high tensile steel wire.

**Cover:** Abrasion and ozone resistant synthetic rubber – MSHA approved. Note: various covers available

**Temperature range (medium):** -40°C to 120°C